


## **G-7** for Grain

### *DELMHORST INTRODUCES THE G-7 GRAIN MOISTURE METER*

The newly designed G-7 Grain Moisture Meter features a powerful micro-controller circuit. It is rugged, easy to use, and provides important statistics about the meter readings.

The G-7 is especially useful to test moisture content of grain at harvest time and while in storage. Or you can attach optional accessories to check moisture in hay.



#202-G-7

#### **Specifications:**

- Moisture Range: 6% - 40% depending on grain
- Size: 7 1/4" x 6" x 5 1/2"
- Battery: (1) 9-V Alkaline
- Warranty: 1 Year
- Carrying Case: Optional

#### **Features:**

- Microcontroller based circuit for greater accuracy and reliability
- Built-in correction factors for Barley, Coffee, Corn, Flax, Hay, Oats, Rapeseed, Rough rice, Sorghum, Soybeans, Wheat, and Rye
- Built-in temperature correction over the range of 32 - 160° F (0 - 70° C)
- Programmable offset to match elevator
- Stores up to 150 accumulated readings in user-defined batches by grain
- Displays the average and highest readings, and standard deviation and co-efficient of variance of stored readings
- Measures moisture content over the range of 6% - 40% depending on grain
- Adjustable set point with buzzer to alert you when a pre-selected %MC has been reached
- Connector for an external electrode
- Built-in calibration check

**\* Full line of Electrodes available to suit your application needs. [See Electrodes](#)**