

Digital Thermo Hygrometer

MODEL: TES-1364

Features

- Detachable sensing probe.
- Data Hold & Relative function.
- Dual LCD display with Bargraph indication.
- Datalogging capacity 10,100 dual reading. (%RH & Temp). (TES-1365)
- Dew Point Range: -10C ~ 50C
- RS-232 interface & windows software. (TES-1365)
- Wet bulb Reading.
- Automatic Timer Recording for Datalogger. (TES-1365)
- MAX/MIN with Time Stamp.



Kit Includes:

Carrying case, Instruction Manual and Battery
 RS-232 Interface & Windows Software (TES-1365 only)
 1311-HC Rubber Holster (Optional)

#135-TES-1364

Specifications

Measuring Range	Temperature : -20°C ~ 60°C (-4°F ~ 140°F) Humidity : 1%RH ~ 99%RH
Resolution	0.1°C/0.1°F/0.1RH
Accuracy	Temperature : ± 0.8°C , ± 1.5°F Humidity : ± 3%RH
Datalogging (TES-1365)	Manual recording : 99 data sets. (Direct reading from LCD display) Continue recorder : 9999 data sets. (Automatic timer recording, RS- 232 interface/software)
Input Protection	60V DC or 24 Vrms AC maximum input voltage on any Combination of input Connector
Sampling Rate	1 time/sec
Operating Conditions	0°C ~ 60°C (32°F ~ 140°F) & 10 ~ 80%R.H.
Power Source	6 pcs size "AAA" Batteries
Battery Life	Approx. 500 hours
Size & Weight	152(L) x 72(W) x 35(H)mm & Approx. 235g

Distributed in Canada by:
QPC Instruments Inc.